



ELSEVIER

Sedimentary Geology 122 (1998) 287–288

**Sedimentary
Geology**

Contents Volume 122, 1998

Special Issue:

SEQUENCE STRATIGRAPHY IN THE PLIO-PLEISTOCENE: AN EVALUATION

Edited by R.M. CARTER, T.R. NAISH, M. ITO and B.J. PILLANS

Preface: Will the real sequence stratigraphy please stand up: insights from the Plio–Pleistocene

R.M. Carter 1

Introduction

A review of the Milankovitch climatic beat: template for Plio–Pleistocene sea-level changes and sequence stratigraphy

B. Pillans, J. Chappell and T.R. Naish 5

Two models: global sea-level change and sequence stratigraphic architecture

R.M. Carter 23

Sequence Stratigraphy in the Plio–Pleistocene

A review of Wanganui Basin, New Zealand: global reference section for shallow marine, Plio–Pleistocene (2.5–0 Ma) cyclostratigraphy

R.M. Carter and T.R. Naish 37

The stratigraphic architecture of Late Pliocene (2.8–2.4 Ma) asymmetrical shelf sequences, western Wanganui Basin, New Zealand

P.J.J. Kamp and A.P. McIntyre 53

Submarine fan sequences of the lower Kazusa Group, a Plio–Pleistocene forearc basin fill in the Boso Peninsula, Japan

M. Ito 69

The relationship between glacio-eustatic parasequences and a third-order sequence in the Kakegawa Group, central Japan

T. Sakai and F. Masuda 95

Methodological Studies

The relationship between shellbed type and sequence architecture: examples from Japan and New Zealand

Y. Kondo, S.T. Abbott, A. Kitamura, P.J.J. Kamp, T.R. Naish, T. Kamataki and G.S. Saul 109

Exposed coasts vs sheltered bays: contrast between New Zealand and Japan in the molluscan record of temperature change in Plio–Pleistocene cyclothems

A. Beu and A. Kitamura 129

Glaucy and carbonate grains as indicators of the condensed section: Omma Formation, Japan

A. Kitamura 151

Sequence concepts at seismic and outcrop scale: the distinction between physical and conceptual stratigraphic surfaces	
R.M. Carter, C.S. Fulthorpe and T.R. Naish	165
Computer simulation of the influence of basin physiography on condensed section deposition and maximum flooding	
K. Liu, T.C.K. Liang, L. Paterson and C.G.St.C. Kendall	181
¹⁰ Be spikes in Plio–Pleistocene cyclothem, Wanganui Basin, New Zealand: identification of the local flooding surface (LFS)	
I.J. Graham, R.G. Ditchburn and N.E. Whitehead	193
<i>Modern Studies</i>	
Transgressive and highstand systems tracts and post-glacial transgression, the East China Sea	
Y. Saito, H. Katayama, K. Ikehara, Y. Kato, E. Matsumoto, K. Oguri, M. Oda and M. Yumoto	217
Sequence stratigraphy of tidal sand bodies in the Bungo Channel, southwest Japan	
K. Ikehara	233
Post-glacial sea-level control and sequence stratigraphy of carbonate–terrigenous sediments, Wanganui shelf, New Zealand	
J.L. Gillespie, C.S. Nelson and S.D. Nodder	245
Modern and ancient <i>Zygochlamys delicatula</i> shellbeds in New Zealand, and their sequence stratigraphic implications	
A.R. Orpin, P.R. Gammon, T.R. Naish and R.M. Carter	267
<i>Author Index Volume 122, 1998</i>	285

